

# 06



# Peripor Blocks & Pool Liners

## - THE PERFECT BASE, STYLISH LOOK

A pool begins with a solid structure and gains its unique character through the right liner. Our proven, thermally insulating **Peripor formwork blocks**, certified according to DIN EN 13163, provide a stable and energy-efficient foundation for pool construction.

For a custom design, our exclusive selection of pool liners in modern, stylish colors offers endless possibilities. Be inspired by nature with the **Touch Collection**, or by contemporary interior design reflected in the **Vogue Collection**. Elegant shades like **Sunlight, Darkstar, and Bluemoon** from the **Ceramic Collection** give your pool remarkable depth and sophistication.

For that extra touch, we also offer premium **water features** with color-changing lights that transform your pool into a captivating nighttime spectacle. The experience is completed by our stylish solar showers, offering sustainable comfort and refreshing elegance.

**Choose quality, design, and innovation—for a pool that truly impresses.**

## OVERVIEW

**FORMWORK BLOCKS**  
P. 170 Peripor Blocks PS30L, PS30XXL, PS40L and PS40XXL

**LINER-BONDED METAL PANELS**  
P. 185

**POOL LINERS, SLIP PROTECTION & LIQUID POOL LINERS**

**SEPARATION AND PROTECTIVE FABRIC**  
P. 186

- NEW** P. 172 Pool Liner Touch Collection
- NEW** P. 173 Pool Liner Vogue Collection
- NEW** P. 174 Pool Liner Alive Collection
- NEW** P. 175 Pool Liner Relief Collection
- P. 176 Pool Liner Elite Motion
- P. 177 Pool Liner Pearl
- P. 178 Pool Liner Elite
- P. 180 Pool Liner Keramik Collection
- P. 181 Pool Liner Supra
- P. 182 Pool Liner Classic

**LINER ACCESSORIES**  
P. 186

- NEW** P. 190 GRP Prefabricated Pools
- NEW** P. 191 Polypropylene Prefabricated Pools



# FORMWORK BLOCKS



## FORMWORK BLOCKS



**PRICE REDUCTION**  
 #PS30L  
 #PS30XXL  
 #PS40L  
 #PS40XXL  
 #PS-E

**FEATURES:**


- material: EPS, peripor
- manufactured according to EN ISO 9001:2008
- **includes** end stoppers:  
 25 pieces for XXL blocks (height 50 cm)  
 50 pieces for L blocks (height 25 cm)
- compressive strength according to EN 826:  
 150 kPa at 10% compression
- thermal conductivity according to EN 12667:  
 0.035 W/(m·K)
- divisible in 25 cm units

First formwork block for pool construction compliant with DIN EN 13163 (approved for public installations)


<sup>1</sup> For a 150 cm deep pool (with 4 corners), you will need 24 end stoppers when using XXL blocks (height 50 cm), and 48 end stoppers when using L blocks (height 25 cm) – 8 pieces per layer. Additional corners, steps, or custom shapes require extra end stoppers (available at an additional cost).

**ADVANTAGES OVER STANDARD STYROFOAM:**

- ✓ moisture-resistant
- ✓ 100% recyclable – environmentally friendly disposal
- ✓ In most cases, no filling is required thanks to the tight joint pattern and the absence of cutting webs on the pool-facing side (every 25 cm)



Top View



**BLOCKS WITH A DENSITY OF 60 G/L OR 80 G/L ARE AVAILABLE ON REQUEST.**

Article	Dimensions L x W x H	Concrete filling quantity	Density	Color	PU	Article Number
peripor block PS30L	100 x 25 x 25 cm	30,20 l	30 g/l	white	40	PS30L
peripor block PS30XXL	125 x 25 x 50 cm	66,15 l	30 g/l	white	16	PS30XXL
peripor block PS40L	100 x 25 x 25 cm	30,20 l	40 g/l	gray	40	PS40L
peripor block PS40XXL	125 x 25 x 50 cm	66,15 l	40 g/l	gray	16	PS40XXL
end stopper PS30	14 x 8 x 4 cm	-	30 g/l	white	1	PS-E
Aerosol Adhesive poly 500 ml	-	-	-	-	12	8054

Also available individually.

Shipping costs apply separately and are not included in standard freight flat rates (available on request).

# POOL LINER

# RENOLIT ALKORPLAN

## POOL LINERS BY RENOLIT ALKORPLAN

**NEW**

RENOLIT ALKORPLAN – The Premium Pool Liner for the Highest Standards

Transform your pool into a stylish and long-lasting oasis of well-being with RENOLIT ALKORPLAN. This high-quality reinforced liner stands out for its exceptional durability, absolute waterproofing, and a wide range of colors and designs. Whether for new construction or renovation – with RENOLIT ALKORPLAN, you're choosing quality that truly impresses.

For a pool that not only looks great, but also lasts!

# RENOLIT ALKORPLAN

## TOUCH

Collection  
INSPIRED BY NATURE



## VOGUE

Collection  
INFLUENCED BY  
MODERN INTERIOR  
AESTHETICS




## ALIVE

Collection  
DRIVEN BY  
THE AESTHETICS OF  
SIMPLICITY



## RELIEF

Collection  
INSPIRED  
BY AESTHETICS AND  
TEXTURE




## ONLINE POOL CONFIGURATION

Feel free to mix and match colors and designs to create your dream pool!



## INSTALLATION WORKSHOPS AND TRAINING SESSIONS

Master the essentials of professional pool liner welding. Sign up today!



The Alkorplan 2000 collection is available upon request



## POOL LINER TOUCH COLLECTION



**TOUCH** Collection **RENOLIT**

RENOLIT ALKORPLAN *Rely on it*

2 THICKNESS	PLANT FRIENDLY	C CLASS	100% SAFE	UP TO 35° WATER TEMPERATURE
----------------	----------------	------------	-----------	-----------------------------------

**NEW**

Dive into the world of luxurious pool design – with the RENOLIT ALKORPLAN TOUCH Collection.


These premium pool liners combine outstanding design, durability, and safety at the highest level. With an impressive material thickness of 2 mm, they are among the most resilient reinforced liners on the market – while offering a truly unique sensory experience. Installation is also easier and helps to conceal irregularities in the pool base.

Be inspired by the elegant 3D relief textures that perfectly replicate natural materials such as slate, granite, and sand. Every touch reflects elegance and quality, while the authentic surface textures give your pool an incomparable tactile feel.

maximum water temperature: +35 °C  
packaging unit: 8 rolls per pallet

### DIMENSIONS

Roll Length: 25 m  
Width: 1,65 m  
Thickness 2 mm




Origin




Vanity




Sublime



Prestige



Elegance



Relax



Authentic

For a reliable and long-lasting bond, we recommend **butt welding** for this pool liner. This method ensures not only maximum precision, but also an exceptionally strong and waterproof seam that meets even the most demanding requirements. The matching butt welding strip can be found on page 185 (#22.040).

### Color disclaimer:

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

Antibacterial Fleece by Renolit made of polypropylene ; color: blue; page 186  
#20.510 width: 1,50 m / length: 50 m / weight: 400 g/m<sup>2</sup>  
#20.512 width: 2,00 m / length: 50 m / weight: 400 g/m<sup>2</sup>

### ROLL LENGTH 25m x 1,65m (WIDTH)

(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
Origin	22.018
Vanity	22.019
Sublime	22.020
Prestige	22.021
Elegance	22.022
Relax	22.023
Authentic	22.024

### A perfect match for your pool

The high-quality pool liners can be perfectly combined. Add stylish accents by selectively highlighting individual elements – for a unique look that puts your pool in the spotlight!



Vanity & Prestige

## POOL LINER VOGUE COLLECTION



**VOGUE**   
Collection

RENOLIT ALKORPLAN *Rely on it*

2 THICKNESS	 PLANT FRIENDLY	C CLASS	 100% SAFE	UP TO 35° WATER TEMPERATURE
----------------	---	------------	--	-----------------------------------

**NEW**

RENOLIT ALKORPLAN VOGUE – Stylish. Exclusive. Trend-Conscious.

Be inspired by the latest interior design trends! RENOLIT ALKORPLAN VOGUE combines aesthetic elegance with exceptional functionality. The sophisticated patterns and modern color tones give your pool an exclusive look – straight out of a design magazine. Thanks to its reinforced, waterproof surface, you'll enjoy long-lasting quality and maximum comfort.

max. water temperature: +35 °C  
packaging unit: 8 rolls per pallet

**DIMENSIONS**

Roll Length: 25 m  
Width: 1,65 m  
Thickness 2 mm




Vintage



Urban



Summer



Tropical

**Color disclaimer.**

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

Antibacterial Fleece by Renolit made of polypropylene; color: blue; page 186  
#20.510 width: 1.50 m / length: 50 m / weight: 400 g/m<sup>2</sup>  
#20.512 width: 2.00 m / length: 50 m / weight: 400 g/m<sup>2</sup>

**ROLL LENGTH 25m x 1,65m (WIDTH)**  
(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
Vintage	22.025
Urban	22.026
Summer	22.027
Tropical	22.028



Vintage



## POOL LINER ALIVE COLLECTION

**NEW**

Refresh your soul with ALIVE.


An invitation to fully embrace life, to find beauty in simplicity, and to connect with the energy that surrounds us. ALIVE stands for vitality, joy, and appreciation.

max. water temperature: +35 °C  
packaging unit: 8 rolls per pallet



**ALIVE**   
Collection  
**RENOLIT ALKORPLAN** *Rely on it*


<b>1.65</b> THICKNESS	<b>C</b> CLASS	 100% SAFE FOR WATER	<b>35°</b> MAX. WATER TEMPERATURE
--------------------------	-------------------	----------------------------	--------------------------------------

**DIMENSIONS** 

Roll Length: 25 m

Width: 1,65 m


Thickness 1,65 mm



Prana



Dhyana



Chandra



**ROLL LENGTH 25m x 1,65m (WIDTH)**  
(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
Prana	22.015
Dhyana	22.016
Chandra	22.017

Antibacterial Fleece by Renolit made of polypropylene; color: blue; page 186  
#20.510 width: 1.50 m / length: 50 m / weight: 400 g/m<sup>2</sup>  
#20.512 width: 2.00 m / length: 50 m / weight: 400 g/m<sup>2</sup>

**Color disclaimer:**  
The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

## POOL LINER RELIEF COLLECTION



# RELIEF

Collection

RENOLIT ALKORPLAN *Rely on it*

1.8 THICKNESS C CLASS 100% SAFE UP TO 35° WATER TEMPERATURE

**NEW**

RENOLIT ALKORPLAN RELIEF – Tangible Elegance, Maximum Safety

Experience the perfect combination of design and functionality with the RELIEF collection. The stylish, textured surface not only adds a sophisticated look but also provides outstanding slip resistance – for greater safety and comfort in your pool. Thanks to the reinforced, waterproof pool liner, you'll enjoy long-lasting quality and an exceptional swimming experience.

### DIMENSIONS

Roll Length: 25 m

Width: 1,65 m

Thickness 1,8 mm

Antibacterial Fleece by Renolit made of polypropylene;

color: blue; page 186

#20.510 width: 1.50 m / length: 50 m / weight: 400 g/m<sup>2</sup>

#20.512 width: 2.00 m / length: 50 m / weight: 400 g/m<sup>2</sup>




white



sand



light blue



adriatic blue



turquoise



light gray



dark gray



black

**ROLL LENGTH 25m x 1,65m (WIDTH)**  
(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
white	22.029
sand	22.030
light blue	22.031
adriatic blue	22.032
turquoise	22.033
light gray	22.034
dark gray	22.035
black	22.036

### Color disclaimer:

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.



black



## FABRIC-REINFORCED POOL LINER ELITE MOTION

PRICE REDUCTION

elite® motion combines exceptional product features with a uniquely stylish 3D surface. This liner not only offers outstanding protection against waterline staining, but also impresses with its exceptional UV resistance and color fastness.

max. water temperature: +35 °C  
packaging unit: 6 rolls per pallet

elite®

Superior pools.



arctic white\*



black stone\*



blue sky\*



deep sea\*



gray rock\*



sand beach\*

### DIMENSIONS

Roll Length: 21 m

Width: 1,65 m

Thickness 1,8 mm



Butt Welding

#### Color disclaimer.

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

### ROLL LENGTH 21m x 1,65m (WIDTH)

(one roll = 34,65 m<sup>2</sup>)

Color	Article Number
arctic white (4)*	20.294
black stone (6)*	20.295
blue sky (2)*	20.298
deep sea (1)*	20.297
gray rock (5)*	20.293
sand beach (6)*	20.292



PHTHALATE-FREE



PROTECTION AGAINST BACTERIA, FUNGI & ALGAE



EXTREME WATERLINE PROTECTION



EXTREME UV RESISTANCE



HIGHLY STAIN-RESISTANT



EFFORTLESS CLEANING



SUPERIOR CHLORINE DURABILITY



EXCELLENT SCRATCH RESISTANCE



PERFECT SOLUTION FOR COMMERCIAL POOLS



LONGER LIFESPAN



3D SURFACE



QUICK & EASY INSTALLATION

## ACCESSORIES FOR BUTT WELDING

Article	Article Number
welding strips 1,5 mm, 15 cm x 25 m	20.799

## POOL LINER PEARL

PRINTED & SURFACE-FINISHED



The pool liner with pearlescent reflection is dirt-repellent, highly resistant to stubborn stains and UV radiation.

Its impressively realistic mother-of-pearl effect creates a uniquely vibrant and shimmering play of colors – depending on the light source, angle, and brightness. Weather- and frost-resistant, treated with antimicrobial protection.

max. water temperature: +33°C

packaging unit: 8 rolls/pallet



white pearl



black pearl



blue pearl



sand pearl



silver black



silver lagoon

### DIMENSIONS

Roll Length: 25 m

Width: 1,65 m

Thickness 1,6 mm



HIGHLY STAIN-RESISTANT



3D SURFACE



LONGER LIFESPAN



EXCELLENT SCRATCH RESISTANCE



STUNNING REFLECTIVE PROPERTIES



EFFORTLESS CLEANING



SUPERIOR CHLORINE DURABILITY



PROTECTION AGAINST BACTERIA, FUNGI & ALGAE



QUICK & EASY INSTALLATION

#### Color disclaimer:

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

### ROLL LENGTH 25m X 1,65m (WIDTH)

(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
white pearl (1)*	20.787
black pearl (6)*	20.776
blue pearl (10)*	20.777
sand pearl (4)*	20.984
silver black (7)*	20.007
silver lagoon (11)*	20.939



**FABRIC-REINFORCED POOL LINER ELITE**





**elite**  
Superior pools.

**PRICE REDUCTION**

elite® is the first phthalate-free, fabric-reinforced pool liner on the market. Extremely stain-resistant, scratch-resistant, UV-resistant, chlorine-resistant, easy to weld, and simple to clean. This world-first innovation supports a cleaner environment and longer-lasting pool enjoyment—making it the healthiest choice worldwide. Its revolutionary surface resists the penetration of cosmetics, sunscreen, and more, significantly reducing cleaning requirements. With elite®, your pool retains its original color for many years, maintaining a fresh, clean appearance that invites you to swim.

maximum water temperature: +35°C  
packaging unit: 8 rolls per pallet



**DIMENSIONS**  
Roll Length: 25 m  
Width: 1,65 m or 2,00 m  
Thickness 1,5 mm

**Color disclaimer:**  
The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

- PHTHALATE-FREE
- PROTECTION AGAINST BACTERIA, FUNGI & ALGAE
- EXTREME WATERLINE PROTECTION
- EXTREME UV RESISTANCE
- HIGHLY STAIN-RESISTANT
- EFFORTLESS CLEANING
- SUPERIOR CHLORINE DURABILITY
- EXCELLENT SCRATCH RESISTANCE
- PERFECT SOLUTION FOR COMMERCIAL POOLS
- LONGER LIFESPAN
- QUICK & EASY INSTALLATION



**ROLL LENGTH 25m x 1,65m (WIDTH)**  
(one roll = 41,25 m<sup>2</sup>)

**ROLL LENGTH 25m x 2,00m (WIDTH)**  
(one roll = 50 m<sup>2</sup>)

Color	Article Number
deep sea 1)*	20.068
blue sky (2)*	20.069
sand beach (3)*	21.070
arctic white (4)*	20.071
gray rock (5)*	20.173
black stone (6)*	20.122

Color	Article Number
deep sea (1)*	20.119
blue sky (2)*	20.118
sand beach (3)*	21.120
arctic white (4)*	20.117
gray rock (5)*	20.121
black stone (6)*	20.123

\*Suitable liquid pool liner products are listed by item number on catalog page 185.

## STEP PROTECTION ELITE

PRICE REDUCTION 

The textured surface provides maximum slip resistance on steps, in children's paddling pools, and walk-through pools. Free from heavy metals and resistant to all standard pool care and water treatment products. Aging- and rot-resistant, UV-stabilized, weldable, cold-resistant, and antimicrobial.



**elite**  
Superior pools.

Custom length cuts available

### DIMENSIONS

Roll Length: 10 m

Width: 1,65 m


Thickness 1,9 mm




arctic white\*



sand beach\*



blue sky\*



deep sea\*



gray rock\*



black stone\*



PHTHALATE-FREE



PROTECTION AGAINST BACTERIA, FUNGI & ALGAE



EXTREME WATER-LINE PROTECTION



EXTREME UV RESISTANCE



HIGHLY STAIN-RESISTANT



EFFORTLESS CLEANING



SUPERIOR CHLORINE DURABILITY



EXCELLENT SCRATCH RESISTANCE



PERFECT SOLUTION FOR COMMERCIAL POOLS



LONGER LIFESPAN



QUICK & EASY INSTALLATION

### ROLL LENGTH 10m x 1,65m (WIDTH)

(one roll = 16,50 m<sup>2</sup>)

(15% ADDITIONAL CHARGE FOR CUTTING TO REQUIRED LENGTH)

Color	Article Number
arctic white (4)*	20.079
sand beach (3)*	20.078
blue sky (2)*	20.077
deep sea (1)*	20.076
gray rock (5)*	20.080
black stone (6)*	20.124

## LIQUID POOL LINER ELITE

seam sealing of welded joints on fabric-reinforced pool liners  
Container size: 950 ml (can) Also available individually.

Color	Article Number
deep sea (1)	21.396
blue sky (2)	21.395
sand beach (3)	21.394
arctic white (4)	21.393
gray rock (5)	21.403
black stone (6)	21.536



\*Suitable liquid pool liner products are listed by item number on catalog page 185.



**POOL LINER KERAMIK**

**PRICE REDUCTION**

Discover the innovative KERAMIK Collection by CEFIL POOL – a true revolution in the world of pool liners! This collection combines elegance and exclusivity in one product, offering new advantages over traditional porcelain stoneware tiles. The reinforced pool liner of the KERAMIK Collection represent luxury and exceptional, tangible quality. Their refined appearance creates a stunning visual experience, transporting you into a world of sophistication. Installation is quick, straightforward, and waste-free (For liquid pool liners, see page 184)

maximum water temperature: +32°C  
packaging unit: 10 rolls per pallet

**KERAMIK** *collection*



SLIP RESISTANCE CLASS **C**    WARRANTY **10** YEARS WATERPROOF    ANTI-SLIP PROPERTIES    UNE-EN 15836-2

**DIMENSIONS**

Roll Length: 25 m  
Width: 1,65 m  
Thickness 1,5 mm



3D SURFACE



STRONG & LONG-LASTING



MODERN & LUXURIOUS



EASY INSTALLATION



UV RESISTANCE



LOW MAINTENANCE



FLEXIBLE & EASILY ADAPTABLE



ANTI-SLIP SURFACE



**ROLL LENGTH 25m x 1,65m (WIDTH)**  
(one roll = 41,25 m<sup>2</sup>)

Color	Article Number
Sunlight (15)*	20.267
Bluemoon (16)*	20.268
Darkstar (17)*	20.269

**Color disclaimer:**

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

## FABRIC REINFORCED POOL LINER SUPRA



PRICE REDUCTION

With high-quality surface finishing for protection against dirt and discoloration, featuring antimicrobial treatment, UV-resistant, cold-resistant, tear-resistant, and durable.  
 maximum water temperature: +32°C  
 packaging unit: 8 rolls/pallet



white



adriatic blue



light blue



sand




light gray



dark gray



blue mosaic



marble



gray mosaic



dove blue



midnight blue

### DIMENSIONS

Roll Length: 25 m

Width: 1,65 m or 2,00 m

Thickness 1,5 mm



3D SURFACE



HIGH UV RESISTANCE



EXCELLENT SCRATCH RESISTANCE



VERY EASY TO CLEAN



SUPERIOR CHLORINE DURABILITY



PROTECTION AGAINST BACTERIA & FUNGI



NATURAL DESIGNS

### ROLL LENGTH 25m X 1,65m (WIDTH) (one roll = 41,25 m<sup>2</sup>)

Color	Article Number
white (1)*	20.049
adriatic blue (2)*	20.410
light blue (3)*	20.052
sand (4)*	20.051
light gray (5)*	20.055
dark gray (6)*	20.786
blue mosaic (1)*	20.749
mosaic gray (1)*	20.190
marble (1)*	20.191
dove blue (13)	21.338
midnight blue (14)	21.340

### ROLL LENGTH 25m X 2,00m (WIDTH) (one roll = 50 m<sup>2</sup>)

Color	Article Number
white (1)*	20.048
adriatic blue (2)*	20.409
light blue (3)*	20.053
sand (4)*	20.054
light gray (5)*	20.074
dark gray (6)*	20.910

#### Color disclaimer:

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.




## FABRIC-REINFORCED POOL LINER CLASSIC

PRICE REDUCTION

The fabric-reinforced pool liners are the ideal material for lining permanent pools of all sizes and shapes, both indoors and outdoors. Extremely tear-resistant, durable, and resistant to weathering, cold, fungi, and bacteria. Suitable for all load-bearing substrates.

maximum water temperature: +32°C  
packaging unit: 8 rolls/pallet




white



adriatic blue



light blue



sand



light gray



dark gray



turquoise



black

### DIMENSIONS

Roll Length: 25 m

Width: 1,65 m or 2,00 m

Thickness 1,5 mm



HIGH UV RESISTANCE



STAIN RESISTANT



SCRATCH-RESISTANT SURFACE



PROTECTION AGAINST BACTERIA, FUNGI & ALGAE



VERY EASY TO CLEAN



LONGER LIFESPAN



QUICK & EASY INSTALLATION

**Color disclaimer:**  
The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.

### ROLL LENGTH 25m X 1,65m (WIDTH) (one roll = 41,25 m<sup>2</sup>)

Color	Article Number
white (1)*	20.045
adriatic blue (2)*	20.061
light blue (3)*	20.403
turquoise (9)*	20.057
sand (4)*	20.405
light gray (5)*	20.073
dark gray (6)*	20.529
black (7)*	20.579

### ROLL LENGTH 25m X 2,00m (WIDTH) (one roll = 50 m<sup>2</sup>)

Color	Article Number
white (1)*	20.047
adriatic blue (2)*	20.063
light blue (3)*	20.404
turquoise (9)*	20.058
sand (4)*	20.406
light gray (5)*	20.072
dark gray (6)*	20.628

## FABRIC-REINFORCED TREAD PROTECTION MEMBRANE



**PRICE REDUCTION**

The textured surface ensures maximum slip resistance on steps, in children's paddling pools, and walk-through pools. Free from heavy metals and resistant to standard pool care and water treatment chemicals. Resistant to aging and decay, UV-stabilized, weldable, cold-resistant, and antimicrobial.




white



adriatic blue



light blue



sand



light gray



dark gray



turquoise



black



dove blue

### DIMENSIONS

Roll Length: 10 m

Width: 1,65 m

Thickness 1,9 mm



HIGH UV RESISTANCE



STAIN RESISTANT



SCRATCH-RESISTANT SURFACE



PROTECTION AGAINST BACTERIA, FUNGI & ALGAE



VERY EASY TO CLEAN



LONGER LIFESPAN



QUICK & EASY INSTALLATION

### ROLL LENGTH 10m x 1,65m (WIDTH)

(one roll = 16,50 m<sup>2</sup>)

(15% ADDITIONAL CHARGE FOR CUTTING TO REQUIRED LENGTH)

Color	Article Number
white (1)*	20.765
adriatic blue (2)*	20.772
light blue (3)*	20.768
turquoise (9)*	20.769
sand (4)*	20.766
light gray (5)*	20.767
dark gray (6)*	20.771
black (7)*	20.770
Pigeon blue (13)*	20.773
midnight blue (14)*	20.774



midnight blue

#### Color disclaimer:

The displayed colors of the pool liners may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.




## SEAM SEALING RENOLIT ALKORPLAN

**NEW**

seam sealing of welded joints on fabric-reinforced pool liners.  
Container size: 900 g (can) Also available individually.

Article	PU	Article Number
seam sealing Touch Authentic	6	22.056
seam sealing Touch Elegance	6	22.057
seam sealing Touch Origin	6	22.058
seam sealing Touch Prestige	6	22.059
seam sealing Touch Relax	6	22.060
seam sealing Touch Sublime	6	22.061
seam sealing Touch Vanity	6	22.062
seam sealing Vogue Summer	6	22.063
seam sealing Vogue Tropical	6	22.064
seam sealing Vogue Urban	6	22.065
seam sealing Vogue Vintage	6	22.066
seam sealing Relief color white	6	22.043
seam sealing Relief color turquoise	6	22.044
seam sealing Relief color transparency	6	22.045
seam sealing Relief color black	6	22.046
seam sealing Relief color sand	6	22.047
seam sealing Relief color light gray	6	22.048
seam sealing Relief color light blue	6	22.049
seam sealing Relief color dark gray	6	22.050
seam sealing Relief color adriatic blue	6	22.051
Renolit seam sealing Alive BHUMI	6	22.052
Renolit seam sealing Alive CHANDRA	6	22.053
Renolit seam sealing Alive DHYANA	6	22.054
Renolit seam sealing Alive PRANA	6	22.055



## LIQUID FILM KERAMIK COLLECTION

Seam sealing for welded joints on reinforced pool liners.  
Container size: 1000 ml (can). Also available individually.

Color	PU	Article Number
Sunlight for Keramik Collection (15)	6	20.270
Bluemoon for Keramik Collection (16)	6	20.271
Darkstar for Keramik Collection (17)	6	20.272

## LIQUID POOL LINERS

Seam sealing for welded joints on reinforced pool liners.  
Container size: 950 ml (Dose). Also available individually.

Color	PU	Article Number
white (1)	6	21.054
adriatic blue (2)	6	21.048
light blue (3)	6	21.053
sand (4)	6	21.056
light gray (5)	6	21.046
dark gray (6)	6	21.154
black (7)	6	21.190
transparent (8)	6	21.055
turquoise (9)	6	21.049
blue pearl (10)	6	21.246
silver lagoon (11)	6	21.274
silver black (12)	6	21.247
dove blue (13)	6	21.345
midnight blue (14)	6	21.346



## BUTT FUSION TAPE

**NEW**

Base tape for butt joint application  
This type of welded joint is especially recommended for the installation of TOUCH pool liners and pool membranes with a minimum thickness of 1.8 mm.  
color: dark gray



### DIMENSIONS

Roll Length: 20 m

Width: 15 cm

Thickness 1,5 mm

Article	Dimensions	Article Number
Renolit Touch butt fusion tape	15 cm / 20 m rolls	22.040

## FOIL COMPOSITE SHEET

For the installation of reinforced pool liners.  
Thickness of bonded metal sheet: 1.2 mm

**PRICE REDUCTION**  
#21.063  
#21.071  
#21.064  
#21.065

Article	Dimensions (mm)	Color	PU	Article Number
blackboard	2000 x 1000	Blue	30	21.063
stripes	70 x 2000	Blue	1	21.071
external corner	70 x 30 x 2000	Blue	1	21.068
internal corner	70 x 30 x 2000	Blue	1	21.067
external corner	100 x 30 x 2000	Blue	1	21.064
internal corner	100 x 30 x 2000	Blue	1	21.065
external corner	50 x 50 x 2000	Blue	1	21.066
internal corner	50 x 50 x 2000	Blue	1	21.069

Available individually



**PACKAGING**  
Sheet; PU: 30/pallet  
External corner, strip,  
internal corner;  
PU: 1/Pk.



## RENOLIT ALKORPLAN SEPARATION AND PROTECTION FLEECE

**NEW**

Antibacterial separation and protection fleece - available in 400 g/m<sup>2</sup>; made of thermally bonded polyester fibers, rot-resistant and vapor-permeable, resistant to drilling and screwing. B2 - DIN 4102

**DIMENSIONS**  
Width: 1,50 m / 2,00 m  
Roll Length: 50 m

Article	Quality	Width	one role	PU	Article Number
antibacterial fleece	400 g/m <sup>2</sup>	1,50 m	75 m <sup>2</sup>	6 rolls	20.510
antibacterial fleece	400 g/m <sup>2</sup>	2,00 m	100 m <sup>2</sup>	6 rolls	20.512



## ANTIBACTERIAL SEPARATING AND PROTECTIVE FLEECE

Antibacterial separation and protection fleece - available in 400 g/m<sup>2</sup>; made of thermally bonded polyester fibers, resistant to drilling and screwing. color: white

**DIMENSIONS**  
Width: 1,50 m / 2,00 m  
Roll Length: 50 m

Article	Quality	Width	one role	PU	Article Number
antibacterial fleece	400 g/m <sup>2</sup>	1,50 m	75 m <sup>2</sup>	6 rolls	20.504
antibacterial fleece	400 g/m <sup>2</sup>	2,00 m	100 m <sup>2</sup>	6 rolls	20.505



Antibacterial fleece available in blue upon request.  
length 50 m / weight 400 g/m<sup>2</sup> / width: 1,50 m, 1,65 m, or 2,00 m

## SEPARATING AND PROTECTIVE FLEECE

**PRICE REDUCTION**

Separation and protection fleece - available in 300 g/m<sup>2</sup> and 500 g/m<sup>2</sup>; made of thermally bonded polyester fibers, suitable for drilling and screwing, rot-resistant, vapor-permeable, compatible with membranes and bitumen. color: white; Also available individually. B2-DIN 4102.

**DIMENSIONS**  
Thickness 2 mm (300 g/m<sup>2</sup>)  
Thickness 4 mm (500 g/m<sup>2</sup>)  
Width: 1,50 m / 2,00 m  
Roll Length: 50 m

Article	Quality	Width	one role	PU	Article Number
fleece	300 g/m <sup>2</sup>	1,50 m	75 m <sup>2</sup>	6 rolls	20.500
fleece	500 g/m <sup>2</sup>	1,50 m	75 m <sup>2</sup>	5 rolls	20.506
fleece	300 g/m <sup>2</sup>	2,00 m	100 m <sup>2</sup>	6 rolls	20.501
fleece	500 g/m <sup>2</sup>	2,00 m	100 m <sup>2</sup>	5 rolls	20.502



## ACCESSORIES

### DESIGNED FOR PROFESSIONAL POOL LINER APPLICATIONS

**PRICE REDUCTION**  
#21.039  
#8045  
#21.382  
#21.381

Swimming pool membranes can be used to line indoor and outdoor pools of any shape and size. This applies to both new construction and the renovation of existing pools with substrates made of concrete, masonry, wood, steel, aluminum, polyester, or earth-retained pools with slopes of up to 60°. Using the correct installation accessories is essential to ensure a professional pool lining.

Note: fleece adhesive pro, 5 kg bucket #8045, is not suitable for use on pool walls.

Article	PU	Article Number
small spray bottle, 250 ml	5	21.001
spray bottle, 500 ml	5	21.000
spray adhesive for pool fleece, 500 ml*	12	8046
styro spray adhesive for pool fleece, 500 ml	12	8054
swelling welding fluid THF, 1.000 ml	6	21.039
fleece adhesive Pro, 5 kg bucket	1	8045
hammer rivets, long, 35 mm	12 pack of 100 pieces	21.382
hammer rivets short, 20.3 mm	12 pack of 200 pieces	21.381



\*Suitable for concrete pools / covers an area of 7 m<sup>2</sup>.

## SPRAY GUN & GLUE

NEW



#8081

#8082

#8083



#22.041 & #22.042 & #22.039

Article	Article Number
Renolit professional spray gun	22.041
Renolit Alkorspray glue 22ltr.	22.042
flexible hose 4 m for Renolit professional spray gun	22.039
Renolit Alkorplus MEK-solvent 1 liter	8081
AlkorGlue contact adhesive 5 kg can	8082
Renolit AlkorGlue adhesive 20 kg can	8083

## ELBE THERMO GLUE

PRICE REDUCTION

Ready-to-use single-component adhesive. Suitable for bonding PVC membranes to wood, concrete, rigid PVC, GRP, or similar surfaces. Application should be carried out at ambient temperatures above +5 °C. The optimal application temperature is between +18 °C and +25 °C..

- significant time savings during stair installation, especially with freeform stairs
- eliminates the need for sheet metal and metalwork by allowing direct bonding of the membrane to the substrate
- highly suitable for bonding backing strips for butt welds – makes head-to-head welding easier and faster
- perfect for the wet-on-wet application process
- suitable for bonding membrane to slatted pool covers

**Easy to use:** Apply the adhesive, let it air-dry for 10–15 minutes – once dry, it is no longer tacky. For installation, simply activate with heat and apply the membrane.




Article	Article Number
Thermo Glue	21.397



### TOOLS FOR WELDING



#06.013



#06.016



#06.021



#06.019



#06.018

Article	Article Number
weld seam tester	06.018
universal scissors 260 mm with special serrated edge	06.021
pressure roller with ball bearing, brass; width 6 mm	06.016
pressure roller with ball bearing, silicone; width 43 mm	06.013
Kehlfix for waterproofing pool liners; width 55 mm	06.019


### ACCESSORIES FOR TRIAC ST AND TRIAC AT



#06.007



#06.008



#06.010

Article	Article Number
angled nozzle 20 x 2 mm 75°	06.007
angled nozzle 20 x 2 mm 60°	06.008
wide slot nozzle 20 x 2 mm 15°	06.010

Additional accessories available upon request.





# PREFABRICATED POOLS AVAILABLE UPON REQUEST

## GRP PREFABRICATED POOLS

temperature resistant up to 38 °C\*

**NEW**

High-quality GRP prefabricated pools available in various models and sizes from 2.50 to 11.50 meters in length.



example image

## FEATURES & ADVANTAGES

- **3D colors:** resistant to water temperatures up to 38°C
- **solid colors:** resistant to water temperatures up to 32°C
- **includes** built-in parts and pre-piping for fast installation and quick project execution
- durability and robustness
- wide range of models to meet every need
- easy and quick installation and fast commissioning
- excellent wall structure – multi-layer protection for an uncompromising swimming experience

★ ★ ★  
**10 YEAR WARRANTY\***  
ON POOL TIGHTNESS & POOL STRUCTURE

### PROTECTORLINE


The PROTECTORLINE series features a high-quality 6-layer structure made of reinforced resins and fiberglass, inspired by composite technology. Thanks to these robust wall structures and our special gelcoat, the service life is significantly extended.

★ ★ ★  
**20 YEAR WARRANTY\***  
ON CERAMICLINE WALL CONSTRUCTION

### CERAMICLINE

The CERAMICLINE series, on the other hand, features an additional reinforced seventh ceramic layer. It offers high load-bearing capacity combined with low weight. Thanks to this enhanced layer structure, the Ceramicline design allows for a 20-year warranty on the wall structure.

**VARIOUS MODELS AVAILABLE UPON REQUEST!**



3D marble white



3D antimony gray



3D onyx gray




3D Obsidian gray



3D sapphire blue



diamond white



zircon beige




azure blue



graphite gray

**Color disclaimer:**  
The displayed pool colors may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.



Our internal sales team will be happy to assist you with personal advice and further information.



**ALL MODELS & PRICES CAN BE FOUND HERE:**



Article

Available upon request!

## POLYPROPYLENE PREFABRICATED POOLS

High-quality polypropylene prefabricated pool available in various models and sizes.

**NEW**




+++  
**Custom-made solutions & flexible configuration possible!**  
 +++

### FEATURES & ADVANTAGES

- **includes** built-in components and pre-piping for quick installation and efficient project execution
- **custom manufacturing** according to requested dimensions, stair designs (including “floating” steps), shallow water zones, and more
- **wall thickness options:** 8 mm or 12 mm
- **flexible sizes** – standard up to 3.8 m x 12.0 m, larger sizes, available upon request
- **compact minimum size** – smallest version: 2.5 m x 4.0 m
- **various pool depths available:** 1.4 m and 1.5 m
- No osmosis formation
- **color options:** combinations possible (e.g. white pool color with anthracite steps)

**VARIOUS MODELS AVAILABLE UPON REQUEST!**

**Color disclaimer:**  
 The displayed pool colors may vary depending on water depth and lighting conditions. The images are for illustrative purposes only and are intended to give an impression of how the liners may appear underwater.



Article  
 Available upon request!

We offer a wide range of models available upon request. Feel free to contact our internal or field sales team for individual consultation and tailored solutions!