



POOL CLEANING

How would you like to clean your pool - fully automatically or manually? With our impressive Tigershark automatic pool cleaner, all options are open to you! Thanks to various cleaning programs, this robot will become a loyal pool cleaning companion and will make your pool shine like new.

In this section you will also find manual cleaning equipment to help pool owners maintain their pools. Our wide range of products also offers a selection of many other items to keep your pool clean and well maintained.

In addition to cleaning products, we also offer helpful winterization products in this section to prevent frost damage in winter and keep your pool in top shape all year round. Discover the variety and numerous benefits of our pool cleaning products today and make your pool the shining centerPiece of your garden!

OVERVIEW

AUTOMATIC POOL CLEANERS

P. 170 Tigershark

P. 171 Accessories

CLEANING ACCESSORIES

P. 172 Telescopic poles

P. 173 Spiral hoses

P. 174 Vacuum cleaner

P. 175 Thermometer

P. 176 Basin brushes

P. 177 Landing net, Leaf net

P. 179 Dosing float

P. 180 Overwintering

POOLTESTER

P. 181 Photometer

P. 182 Electronic pool testers

P. 182 Multi Pooltester

P. 183 MIDA.Set pH & chlorine tester







TIGERSHARK®

AUTOMATIC POOL CLEANER

- Max. Pool size: 12 x 6 m
- Thanks to the microprocessor with ASCL control logic, the robot achieves the ideal cleaning program by calculating the size and shape of your pool
- Water-cooled motor ensures efficient, time- and energy-saving pool cleaning
- No bag or outer hose required
- \bullet 2 filter fields with precision up to 5μ
- Cleaning with a garden hose is also possible
- · Easily removable dirt collection basket
- Powerful motor enables precise cleaning of your pool.
 In conjunction with 2 filter fields, the robot vacuums up every last particle of dirt.
- Automatic switch-off at the end of the program

Safety systems: tranding system, dry-running protection,

electronic protection of the motors

Surfaces: <u>suitable for all surfaces</u>


Cleaning programs: 2 automatic cleaning programs:

- Complete, 4-hour cleaning of the pool

- Floor - walls - waterline + a 90-minute quick clean







View from below

TECHNICAL DATA


| Cleaning speed | 18 m/min |
|----------------------------------|------------------------|
| Suction power | 17 m³/hour |
| Dimensions (LxWxH) | 28 x 41 x 41 cm |
| Weight | 11,4 kg |
| Cleaned area | 5 m²/min |
| Capacity of the debris container | 3 L |
| Power supply | 220 V ; 50/60 Hz |
| Cable length | 16,76 m |
| Working cycles | 90 minutes or 4 hours. |

Simple filter cleaning



Accessories see catalog page 171

Article Code
TigerShark 158-20





TELESCOPIC POLES



TELESCOPIC POLE

2-PIECE VERSION





Anodized aluminium double tube, with eccentric, 2 sockets, wall thickness 0.8 mm, color: silver/beige

| Article | Length in m | PU | Code |
|-----------------|-------------|----|--------|
| Telescopic Pole | 1,80 - 3,60 | 20 | 210-TM |
| Telescopic Pole | 2,40 - 4,80 | 10 | 220-TM |



TELESCOPIC POLE


3-PIECE VERSION





Anodized aluminium double tube, with eccentric, 2 sockets, wall thickness: 0.8 mm, color: silver/beige

| Article | Length in m | PU | Code |
|-----------------|-------------|----|---------|
| Telescopic Pole | 1,20 - 3,60 | 20 | 3120-TS |
| Telescopic Pole | 1,50 - 4,50 | 20 | 3150-TS |









LDPE-HOSE

Material: polyethylene, long-term resistant to salt water, chlorine, UV radiation, can be individually divided using molded sleeves. 50 m roll with molded sleeves every 0.5 m, flexible, color: black Application: vacuum cleaner, vacuum brush, swimming pool absorber

| Article | Ø | PU | Code |
|-----------|-------|--------------------|------|
| LDPE hose | 38 mm | 8 rolls per pallet | 170 |

Also available individually



SWIMMING POOL HOSE

Material: polyethylene, high stability and flexibility, easy to lay, easy to split thanks to molded sleeves, tread-resistant, high chemical resistance. #169M Roll (100 m) with molded sleeves every 1.5 m, flexible #168 Roll (100 m) with molded sleeves every 1.1 m, flexible Application: vacuum cleaners and vacuum brushes, color: blue

| Article | Ø | PU | Code |
|--------------------|-------|--------------------|------|
| Swimming pool hose | 38 mm | 6 rolls per pallet | 169M |
| Swimming pool hose | 32 mm | 5 rolls per pallet | 168 |

Also available individually.



SWIMMING POOL HOSE

INCLUDING NOZZLES





Material: polyethylene, swimming pool hose with white sleeves at both ends, flexible, individual packaging: in cardboard box, color: blue/white

| Article | Ø | Length | Code |
|--------------------|-------|--------|------|
| Swimming pool hose | 38 mm | 7,5 m | 8576 |
| Swimming pool hose | 38 mm | 9 m | 8577 |
| Swimming pool hose | 38 mm | 12 m | 8575 |
| Swimming pool hose | 38 mm | 15 m | 8578 |
| Swimming pool hose | 38 mm | 30 m | 8579 |



PVC SLEEVE FOR SWIMMING POOL HOSE

Material: ABS plastic Color: blue

| Article | Code |
|---|------|
| Single socket for swimming pool hose, Ø 38 mm | 6524 |



ZUBEHÖR

| Article | Größe | Code |
|-----------------|---------------------|-------|
| Hose connection | Ø 38 mm | 02300 |
| Hose extension | Ø 32-38 mm | 02301 |
| Hose connection | Ø 32-38 mm -1 ½" IG | 6571 |











FLOOR VACUUM CLEANER



VENTURI VACUUM CLEANER





Material: ABS plastic, with three-part aluminum telescopic pole L=135 cm, small simple suction cup with hose connection, Color: blue

| Article | PU | Code |
|-----------------------|----|------|
| Venturi vacum cleaner | 24 | 109 |






MIDA.SWEEP GROUND CLEANER





Material: ABS plastic, flexible with 8 wheels, width: 33 cm, with 2 bottom and 2 side rows of brushes, 38 mm connection Individual packaging: in foil, Color: blue/white

| Article | PU | Code |
|------------|----|------|
| MIDA.Sweep | 12 | 110 |





MIDA.CLEAN VACUUM CLEANER





Material: ABS plastic, width: 29 cm, 8 brushes, with 2 lower and 2 lateral rows of brushes, heavy-duty design, 32/38 mm connection, swivel adapter, Individual packaging: in foil, Color: blue/white

| Article | PU | Code |
|------------|----|-------|
| MIDA.Clean | 12 | 113-N |






MIDA. VAC VACUUM CLEANER





Material: ABS plastic, width: 29 cm, 8 brushes, with brushes at the bottom, without side brushes, connection 32/38 mm, swivel adapter Individual packaging: in foil, Color: blue/white

| Article | PU | Code |
|----------|----|-------|
| MIDA.Vac | 12 | 112-N |









MIDA.THERM THERMOMETER







Material: ABS plastic, for depth measurement (30 cm), with floating ring, Celsius & Fahrenheit scale, hi-tech welding, with fastening cord Individual packaging: in cardboard box, Optional: individual logo possible from 1,000 Pieces.

| Article | PU | Code |
|------------|----|-------|
| MIDA.Therm | 20 | 062-N |





MIDA.LOOK THERMOMETER







Material: ABS plastic, hard-wearing model, temperature scale in Celsius and Fahrenheit, with floating head, length: 18.5 cm, with fastening cord, individual packaging: in box, color: blue

| Article | PU | Code |
|-----------|----|------|
| MIDA.Look | 28 | 068 |







MIDA.GRADE THERMOMETER







| Article | PU | Code |
|------------|----|-------|
| MIDA.Grade | 20 | 069-A |





ECONOMY THERMOMETER








Material: ABS plastic, length: 17 cm, temperature scale in Celsius and Fahrenheit, with fastening cord, Individual packaging: in foil, Color: white - blue

| Article | PU | Code |
|------------------------|----|------|
| Economy Thermometer | 10 | 066 |





BASIN BRUSHES



MIDA.BRUSH BASKET BRUSH CURVED



Material: ABS plastic, width: 45 cm, Individual packaging: in foil, Color: blue with white bristles

| Article | PU | Code |
|------------|----|-------|
| MIDA.Brush | 24 | 145-A |





MIDA.BRUSH BASKET BRUSH CURVED



Material: aluminum or aluminum reinforcement, complete aluminum frame, width: 45 cm, Individual packaging: in foil, Color: aluminum/blue with white bristles

| Article | PU | Code |
|----------------------|----|---------|
| MIDA.Brush Aluminium | 24 | 145-ALU |





MIDA.ALGAE ALGAE BRUSH





Material: ABS plastic, width: 26 cm, with stainless steel bristles, Individual packaging: in foil, Color: blue

| Article | PU | Code |
|------------|----|-------|
| MIDA.Algae | 24 | 146-C |





EXKLUSIV MIDAS

BRUSH FOR CORNER





| Article | PU | Code |
|------------------|----|------|
| Brush for corner | 24 | 146 |






CLEANING SPONGE





Material: ABS plastic, ideal for removing algae and other soft residues and other soft residues, individual packaging: in foil, Color: blue

| Article | PU | Code |
|-----------------|----|------|
| Cleaning Sponge | 60 | 108 |







MIDA.CATCH FLOOR LANDING NET







Material: ABS plastic, with white hard-wearing mesh, Width: 40 cm, length: 27 cm, Hard-shell packaging, Color: blue

| Article | PU | Code |
|------------|----|------|
| MIDA.Catch | 15 | 142 |



MIDA.RAKE FLOOR LANDING NET







Material: ABS plastic, with unbreakable aluminum frame and aluminum

with white hard-wearing net, width: 44 cm, length: 20 cm

Individual packaging: in foil (#141), hard-shell packaging (#141-ALU),

Color: silver/blue

| Article | PU | Code |
|-----------|----|---------|
| MIDA.Rake | 24 | 141 |
| MIDA.Rake | 14 | 141-ALU |





MIDA. VARIO FLOOR LANDING NET







Material: ABS plastic frame/aluminum handle, with blue hard-wearing net, Width: 45 cm, length: 20 cm, Individual packaging: in foil,

Color: blue

| Article | PU | Code |
|------------------------------|----|-------|
| MIDA.Vario floor landing net | 12 | 141VK |





MIDA.LEAF LEAF LANDING NET







Material: unbreakable aluminum frame and aluminum handle/ABS

with white hard-wearing net, Width: 31 cm, length: 35 cm, Individual packaging: in foil, Color: silver/blue

| Article | PU | Code |
|-----------|----|------|
| MIDA.Leaf | 24 | 143 |









ECO LEAF LANDING NET



Material: Frame and handle made of ABS plastic, Width: 29 cm, length 43 cm, Individual packaging: in foil, Color: blue

| Article | PU | Code |
|----------------------|----|-------|
| ECO Leaf landing net | 24 | 139-A |







MIDA.SKIM LEAF LANDING NET





Material: ABS plastic, with white hard-wearing mesh Width: 43 cm, length: 27 cm, Individual packaging: in foil, Color: blue

| Article | PU | Code |
|-----------|----|------|
| MIDA.Skim | 20 | 140 |





MIDA. VARIO LEAF LANDING NET





| Article | PU | Code | |
|------------------------------|----|-------|--|
| MIDA. Vario leaf landing net | 12 | 143VK | |









MIDA.FLOAT DOSING FLOAT








Dosing float with adjustment ring, large version, with transparent lid, holds up to 1 kg of tablets Material: ABS plastic,

Diameter: 17 cm, opening: 9.5 cm, Individual packaging: in foil,

Color: blue/white

| Article | PU | Code |
|------------|----|-------|
| MIDA.Float | 6 | 045-N |





MIDA.ORA DOSING FLOAT





Dosing float with adjustment ring, carries up to 1 kg of tablets Material: ABS plastic,

Diameter: 17 cm, opening: 9.5 cm,

Individual packaging: in foil, Color: blue/white

| Article | PU | Code |
|----------|----|-------|
| MIDA.Ora | 12 | 047-A |





MIDA.MINI DOSING FLOAT







Dosing float with adjustment ring, carries up to 1 kg of tablets Material: ABS plastic,

Diameter: 13 cm, opening: 6 cm,

Individual packaging: in foil,

Color: blue/white

| Article | PU | Code |
|-----------|----|-------|
| MIDA.Mini | 24 | 048-M |







OVERWINTERING



ICE PRESSURE PAD





Pools should not be emptied during the winter months.

Unfortunately, the formation of ice on the water surface can quickly lead to damage to the pool. Ice pressure pads provide protection here.

Advantages: no more frost damage during winter storage of the pool, easy handling, quick installation and removal, suitable for any pool size and shape,

no maintenance costs. Fixing hooks included

Material: Polyethylene Weight: 1.4 kg per Piece Filling material: Quartz sand

Color: black





GIZZMO WINTERIZING PLUGS





For frost protection of skimmers and the suction line. Material: polyethylene, weight: 0.11 kg per Piece, color: black

| Dimensions | PU | Code | |
|------------------------------|----|------|--|
| 37 x 8 x 8 cm, 1½ AG + 2" AG | 36 | 167 | |





WINTERIZING PLUGS






Material: Rubber (NBR), for inlet nozzles, for pressurizing the filter system (checking the tightness of he piping).

Stainless steel screw V2A/AISI 304,

Weight: 0.05 kg, Color: black/silver

| Dimensio | ons | PU | Code | |
|----------|--------------|----|------|--|
| 1¼" | Ø 34 – 40 mm | 96 | 161 | |
| 1½" | Ø 43 – 50 mm | 96 | 162 | |
| 2" | Ø 47 – 63 mm | 96 | 163 | |



Plastic screw version,

Weight: 0.09 kg, color: black/silver/white

| Dimensi | ons | PU | Code | |
|---------|--------------|----|------|--|
| 1¼" | Ø 34 – 40 mm | 96 | 164 | |
| 1½" | Ø 43 – 50 mm | 96 | 165 | |
| 2" | Ø 47 - 60 mm | 96 | 166 | |







WINTERFIT WINTERIZER

WinterFit, foam-free overwintering agent to prevent algae growth and hardness precipitation.

| Article | PU | Code |
|---------------|----|-------|
| Winterfit 1 l | 6 | 23140 |
| Winterfit 3 l | 4 | 23141 |









PHOTOMETER POOL LAB 2.0

The Pool Lab 2.0 is the perfect solution for professional water analysis of pools and spas. Can measure up to 3 parameters in parallel. 24 pool parameters can be checked. With Bluetooth and WiFi. Protection class IP68

24 POOL MEASUREMENT PARAMETERS:

pH 6.50 - 8.40,

Active oxygen (MPS): 0.0 - 30.0 mg/l (ppm) *, Alkalinity (acid capacity): 0 - 200 mg/l (ppm), Aluminium: 0.00 - 0.30 mg/l (ppm)*, Ammonium: 0.00 - 1.20 mg/l (ppm)*, Bromine: 0.0 - 18.0 mg/l (ppm) **, 0.00 - 8.00 mg/l (ppm), Chlorine (free/bound/total): Chlorine (HR): 5 - 200 mg/l (ppm)*, **Chloramines:** 0.00 - 8.00 mg/l (ppm)*, Chlorine dioxide: 0.0 - 15.0 mg/l (ppm) **, Cyanuric acid (stabilizer): 0 - 160 mg/l (ppm), Iron LR: 0.00 - 1.00 mg/l (ppm) *,

Total hardness: 0 - 500 mg/l (ppm) *, Urea: 0.10 - 2.50 mg/l (ppm) *, 0 - 500 mg/l (ppm) *, Calcium hardness: 0.70 - 12.0 mg/l (ppm) **, Potassium: Copper: 0.00 - 5.00 mg/l (ppm) *, 1 - 100 mg/l (ppm) * Nitrate: Ozone: 0.00 - 5.40 mg/l (ppm) **, РНМВ: 5-60 mg/l (ppm) *, 0.00 - 4.00 mg/l (ppm) * Phosphate (LR): Phosphate (HR): 0-80 mg/l (ppm) *, Sulphate: 5 - 100 mg/l (ppm) * 0.00 - 2.90 mg/l (ppm) *, Hydrogen peroxide (LR): 0 - 200 mg/l (ppm) *, Hydrogen peroxide (HR): QUAT: 25 - 150 mg/l (ppm) *

Zinc:



Kit contents: 1 x PoolLab 2.0 with Bluetooth and WiFi,

1 x storage bag
1 x triple cuvette
1 x light protection cap,
3 x plastic stirring rod,
1 x 10ml syringe
3 x AA batteries,
instruction manual

Free LabCOM app, software and cloud service

Reagents: 20 tablets Phenol Red,

20 tablets DPD No. 1, 10 tablets DPD No. 3, 10 tablets Alkalinity,

10 tablets CYA-Test Cyanuric Acid,











| Article | Code |
|--|---------|
| Pool LAB® 2.0 Photometer | 062 |
| Reagents | Code |
| Complete set, consisting of: 20 x DPD No. 1, 10 x DPD No. 3, 20 x phenol red (pH), 10 x alkalinity, 10 x cyanuric acid | 060-E1 |
| DPD No. 1 (free chlorine or bromine), 50 Pieces | 060-E2 |
| DPD No. 3 (total chlorine), 50 Pieces | 060-E3 |
| Phenol red (pH), 50 Pieces | 060-E4 |
| Alkalinity, 50 Pieces | 060-E5 |
| Cyanuric acid, 50 Pieces | 060-E6 |
| DPD No. 4 (active oxygen), 50 Pieces | 060-E13 |

0.00 - 1.00 mg/l (ppm) *



^{*} equires tablets that are not included in the basic kit.





ELECTRONIC POOL TESTERS

These practical pool testers do not require any additional reagents to measure various water parameters professionally and accurately. The result is shown digitally on the display within seconds of immersing the tester in the water being measured, splash-proof, protection class IP54. Calibration is recommended before each use.



| Article | Measuring ranges | Resolution | Accuracy | Calibration | Aut. temp. compens. | Code |
|---|--|------------|------------|-----------------|---|------|
| Pool tester pH | pH (0.0 - 14.0) | 0.1 pH | +/- 0.1 pH | 1 point, manual | - | 057 |
| Pool tester TDS (Total dissolved salts) | TDS (0 - 10000 mg/l) (0.00 - 10.00 ppt) | 0.01 ppt | +/- 2 % FS | 1 point, manual | automatically 0 - 50°C mit ß=2 %/°C | 059 |



MULTI POOLTESTER

5 IN 1 MULTI-POOL TESTER

The basic prerequisite for healthy bathing and swimming is thorough and modern water treatment and analysis, even in the private sector. The different parameters require different test methods.









Scope of delivery:

- 1 Pool tester pH-Chlor
- 1 stirring rod, length 10 cm
- 1 cuvette test (cyanuric acid)
- 1 brush
- 20 DPD No.1 RAPID tablets
- 20 DPD No.3 RAPID tablets
- 20 Phenolred RAPID tablets
- 10 CyA-Test tablets
- 10 ALK-Test Tablets
- 10 CAL-Test tablets
- 2 cuvette tests (100 ml for 20 - 200 mg/l and 30 ml for 80 - 800 mg/l CaCO3)
- 1 instruction manual

Measuring ranges:

- · Free, active chlorine
- Total chlorine (0.1 3 mg/l)
- pH value (6.8 8.2)
- Cyanuric acid/stabilizer (20 200 mg/l)
- Alkalinity-M
- Carbonate hardness (20 800 mg/l CaCO)
- Calcium hardness (20 800 mg/l CaCO)

| Article | Code |
|--|-------|
| Multi Pooltester 5 in 1 | 052 |
| Compact pool test kit | 053 |
| Active oxygen pH, in blister pack | 054 |
| Active oxygen refill pack - pH* | 054-1 |
| Refill pack combination pack for multipool tester 5 in 1 | 052-1 |




FLEXITESTER

NEW

FlexiTesters are the entry-level solution for semi-professional water analysis. Flexi Tester currently offers 43 different measuring methods. The device is only required once. Only the parameter sticks and reagents need to be purchased to expand to several measuring methods. Ergonomic design and high-quality reagents ensure uncomplicated and accurate measurement.

| Article | Code |
|---------------------------------------|-------|
| FlexiTester | 064 |
| Replacement strips "Chlorine" | 064-1 |
| Replacement strips "Cyanuric acid" | 064-2 |
| Replacement strips "Calcium hardness" | 064-3 |
| Replacement strip "Total hardness" | 064-4 |
| Replacement strips "Active oxygen" | 064-5 |
| Replacement strips "pH" | 064-6 |
| Replacement strip "Alkalinity" | 064-7 |







PUFFER SOLUTION













4 #059-E1

| | #1070-L3 | #102030-L1 | #102030-L2 | #10203 |
|---|----------|------------|------------|--------|
| Article | | | Code | |
| Puffer solution pH 4, red, 50 ml | | | 1070-E3 | |
| Puffer solution pH 7, green, 50 ml | | | 102030-E1 | |
| Puffer solution pH 10, blue, 50 ml | | | 102030-E2 | |
| Puffer solution Redox 475 mV, clear, 50 |) ml | | 102030-E3 | |
| Puffer solution neutral, clear 50 ml | | | 102030-E4 | |
| Puffer solution TDS 6.44 ppt, 20 ml | | | 059-E1 | |



MIDA.SET PH & CHLORTESTER

Manual tester with 2 measuring chambers and 20 fast-dissolving tablets each for pH value and chlorine content, in a practical case

- Measuring range pH: 6.8 8.2
- Chlorine measuring range: 0.2 2.0 mg/l





| Article | Code |
|---------------------------------------|------|
| MIDA.Set/pH & Chlorine tester (Piece) | 055 |
| MIDA.test pool tester pH/chlorine | 050 |



TEST STRIPS POOL TESTER

Due to the long shelf life, it is no longer a problem to use excess stock in the following season. Test strips give you a good indication of your water values. The TSL-600 test strip (capillary method) uses silver nitrate as a reagent and therefore reacts directly with the salt to be measured. Unlike TDS meters, which determine the salt content empirically via the conductivity.

TSL-600

Test strips for measuring salt (NaCl) 5 of the 20 strips per box are blister-packed in aluminum. 20 test strips per PU. Measuring range NaCl: 0 - 7000 mg/l

TSL-100

In addition to the pH value, the 3-in-1 test strips measure the free chlorine, bromine and alkalinity values. 10 of the 50 strips per tin are blister-packed in aluminum

50 test strips per PU.

 Measuring ranges:
 pH
 6,8 - 8,2

 Cl (f)
 0,0 - 5,0

 Br
 0,0 - 11,0

 Alk
 0 - 240

| Article | Code |
|---------------------------------------|---------|
| Test strips for measuring salt (NaCl) | TSL-600 |
| 3-in-1 test strips pH, Cl, Br, Alk | TSL100 |





9 Pool Cleaning